

Town of New Durham
ALS Modular Ambulance

Exhibit A BID SPECIFICATION- If unable to meet, please provide explanation.

Y or N (Circle)	S	DESCRIPTION	QTY
Yes or No	S	< > 170" CLASSIC BODY, 75" Headroom, w/Drop Skirt	1
		Overall Vehicle Dimensions:	
		Length: 302"	
		Width: 99"	
		Height: 115"	
		Exterior Modular Body Dimensions:	
		Length: 170"	
		Width: 97"	
		Height: 94"	
		Interior Modular Body Dimensions:	
		Length: 165"	
		Width: 90 3/4"	
		Height: 75"	
Yes or No		< > Chassis Type -Dodge (w/ required Conversion upgrades)	1
		All chassis options & upgrades must be reviewed/edited when changing chassis type.	
		Paint must be reviewed/edited due to possible OEM white changes	
		The included Dodge Conversion upgrades are: Electrical circuits, wire and harness routing, and walk-thru construction	
		EXTERIOR	1
Yes or No		Modular Body Construction	1
Yes or No	<	Structural Integrity Warranty	1
		The structural integrity of the body shall be guaranteed for the life of the unit, as long as the original purchaser shall own it.	
Yes or No		Finite Element Analysis	1
Yes or No		Compartments, Aluminum Diamond Plate, welded	1
Yes or No		Type I, Walk-thru Modification, Light duty, 42"	1
Yes or No		Body mounting, Type I, rubber donuts, L-Duty	1
Yes or No		Lowered Body Skirts, with Intermediate Step	1
		EXTERIOR DOORS, AMBULANCE	1
Yes or No		Trimark Power Locking, Entrance Doors, Qty (3)	1
Yes or No		Trimark Paddle Handles, Compartment Doors	1
	>	Gas Spring Pneumatic Door Checks -Classic & Titan	1

Town of New Durham
ALS Modular Ambulance

Y or N (Circle) S	DESCRIPTION	QTY
Yes or No	Compartment "A" Door to Check Past 90 Degrees	1
Yes or No	Compartment "C" Door to Check Past 90 Degrees	1
Yes or No	Compartment "E" Door to Check Past 90 Degrees	1
Yes or No	Compartment "D" Door to Check Past 90 Degrees	1
Yes or No	Cast Products Grabber Rear Doors Hold Open, Polished, Aluminum	1
<	COMPARTMENT LAYOUT	1
	Exterior compartment dimensions reflect wall to wall measurements.	
Yes or No	"A" Left Front -20w x 86h x 21d -(w/Oxygen window)	1
Yes or No	"B" Left Side 1/2 High -43w x 42h x 20d	1
Yes or No	"C" Left Rear, 1/2 High -31w x 39h x 20d	1
Yes or No	"D" Right Front, In-Out Access -20w x 55h x 33d above floor -20d below floor	1
Yes or No	"E" Right Rear, with In/out to Center Aisle -24w x 83h x 21d	1
	COMPARTMENT DOOR PANELS, MATS, DECKING	1
Yes or No	Compartment Door Panels, Alum, Diamond Plate	1
Yes or No	Stainless Steel Door Sills, Compt & Entrance	1
Yes or No	Vent Compartments to Exterior of Vehicle	1
Yes or No	Dri-Dek, Floors of Compartment, Black	1
Yes or No	Rubber Mat, Shelves, Exterior Compartment	1
Yes or No	Turtle Tile Non-skid Stepwell Mat (removable)	1
	COMPARTMENT CONFIGURATIONS AND EQUIPMENT	1
Yes or No	Oxygen Bracket located in Compartment A	1
Yes or No	(2) Adjustable Shelves, for compartment "B"	1
Yes or No	(2) Adjustable Shelves, for compartment C	1
Yes or No	< Full Height Divider w/(3) Adjustable Shelves Compartment Long Equipment Storage Compartment "E" Divider to be 12" off front wall w/10" shelves.	1
Yes or No	Hanger for Ferno EXL or #65 Scoop Compartment "E"	1
Yes or No	< > Securing Strap for BACKBOARDS -Nylon with metal buckle -(I/L/O Bulbous Mnts) Provide - which Compartment (Letter), where the Backboards are to be secured.	1
	SECURING - STRAPS, HOOKS, SCBA	1
Yes or No	< > Securing device - Nylon strap with metal buckle Qty: 1 , Location: "A" Compartment, back wall, 30" from the ceiling Equipment: Customer owned Child Seat	1

Town of New Durham
ALS Modular Ambulance

Y or N (Circle)		QTY
Yes or No	< > Supply & Mount brackets for Customer Supp'd Tools Requested Tools to be mounted, location and type of mount: 1. Halligan, with "Pac" Mount, Just inside the "A" compartment on the forward wall. Part # PL006175-97 2. Bolt Cutters, On the door of the "A" Compartment (2) Part # PL006175-97 3. Fire Axe, On the door of the "A" Compartment (1) Part # PL006175-97	1
Yes or No	Adjustable backboard holders, holds (3) backboards	1
	REAR STEP BUMPER	1
Yes or No	Lift-up Rear Step, Recessed, -Lic. plate left body	1
Yes or No	< Rear step to have additional grip strut An additional grip strut shall be mounted to center portion of rear step. This will bring the level of the center within 3/4" of the rear bumpers.	1
Yes or No	Rear Dock Bumpers, Bolted to Bumper Ends	1
	ALUMINUM DIAMOND PLATE ACCESSORIES	1
Yes or No	Front Stone Guards, Polished Diamond Plate	1
Yes or No	< Rub-Rails, C-Channel, offset , Bright-Finish (See Green + for Lights or Striping options)	1
Yes or No	Running Brds, Non-slip Diamond Plate w/grip strut inserts	1
Yes or No	Rear Diamond Plate Panel & Tall Corner Guards	1
	EXTERIOR TRIM	1
Yes or No	Fenderettes, Rolled, Polished Stainless Steel	1
Yes or No	License Plate Holder w/LED Lt,Cast Prod Polish, Lt Side body	1
Yes or No	Fuel Fill Housing, Cast products, Polished (Dodge)	1
Yes or No	> Tow Eyes, Recessed housings, Stainless Steel	1
	EXTERIOR, MISCELLANEOUS	1
Yes or No	Undercoat Body	1
	BODY WINDOWS	1
Yes or No	< Window, Side Door (18"W x 22"H), Sliding, 31% Tint Transportation Products Inc. Window.	1
Yes or No	< Windows, Rear Doors, (16"W x 22"H), Fixed, 31% Tint Transportation Products Inc. Windows.	1
Yes or No	< Window, Right Body, (45"W x 15"H), Fixed, 31% Tint	1
Yes or No	Privacy Tint, Mylar, Right Body Window	1
Yes or No	Privacy Tint, Mylar, Rear Doors	1

Town of New Durham
ALS Modular Ambulance

Y or N (Circle)	S	DESCRIPTION	QTY
		INTERIOR CONSTRUCTION	1
Yes or No		Interior Construction Type - Standard Cabinets	1
		INSULATION	1
Yes or No		Insulation, Interior Body	1
Yes or No		Sound Deadened Insulation, Entrance Doors	1
Yes or No		Sound Deadened, Compartment Doors	1
Yes or No		Sub-Floor, Expanded PVC Polymer	1
		FRONT BULKHEAD	1
Yes or No		< > Type I Walk-Thru opening (No Door)	1
		Walk-Thru Opening option only. No Walk-thru door installed	
Yes or No		Climate Control Unit Over Cab to Body Passage	1
Yes or No		< Electrical Power Distribution Cabinet, Access Panels vinyl covered Vinyl wrapped cover with an access panel with flush locking trigger latches	1
		RIGHT FRONT CABINET	1
Yes or No		Right front upper w/ 1/2" acrylic doors, 1 shelf	1
Yes or No		Right front Lower, inside/outside storage	1
Yes or No		< Right front Lower, (2) adjustable shelves	1
		Shelves to be lined with ribbed rubber mat.	
Yes or No		Right front cabinet Lower, 1/2" acrylic doors	1
Yes or No		< > Pull-out tray, (On Cabinet Floor) right front Lower, Qty (1) Includes a "catch" to secure tray in its closed position.	1
		RIGHT SIDE INTERIOR WALL	1
Yes or No		> "Medic in Mind" Rgt Side 2-Person Squad Bench upgradeable Layout -(*See photo)	1
Yes or No		Squad Bench, Rgt side, 2- Person -cabinets- on either side	1
Yes or No		Backrest, 2-pc. Upper & Lower, used w/ right side Body	1
Yes or No		< > No Armrest -Recessed storage, below Armrest at head of Squad bench has from this vehicle***	1
Yes or No		< > Recessed "D" bottles, head of sqd bench (Delete Std armrest) See "D" bottle storage in section # 80-43-XXXX	1
Yes or No		Right side forward cabinet -Medic In Mind, (below counter level storage)	1
Yes or No		< Rgt side Forward -ALS Three (3) Drawer Storage Unit, Facing seat -All drawers utilize Locking Southco Polished Stainless Steel latches.	1
Yes or No		< Meganite counter, 1" lip, Right front, Color: Silver Mist	1
Yes or No		< Rgt side forward upper 45 degree interior cabinet-(seer equirements	1

Town of New Durham
ALS Modular Ambulance

Y or N (Circle)	DESCRIPTION	QTY
Yes or No	< (1) Pod Radio Cut-out, w- Havis Bezel (used w-45* Radio Pod) Provide cutout for Motorola Radio, Model PM 400 in upper section of cabinet	1
Yes or No	Squad bench lid, Positive hold down device	1
Yes or No	< > Trash/Sharps Combo - slide out,head of bench into aisle Sharps Container 8qt.	1
Yes or No	> Overhead cabinet 12 3/4"h,lift-up restock,w/(3)glove box stg, 1 shelf	1
Yes or No	Right side rearward cabinet, -Medic in Mind- (below counter level storage)	1
Yes or No	< Rgt side Rearward -Hinged Lexan Door, Facing aisle Door to be hinged, opening towards the rear of the vehicle	1
Yes or No	< Meganite counter, 1" lip, Right rear, Color: Silver Mist	1
Yes or No	< Relocate LSS Switch Panel to Right Side 45* Cabinet LSS Switch panel to be relocated to the right side 45* cabinet at the head of the squad bench	1
Yes or No	Meganite Counter, 1" Lip, Right Rear, Cut Out For Sharpster	1
	LEFT SIDE MIDDLE (Base Cabinet)	1
Yes or No	Left side attendant seat-(CPR Seat)	1
Yes or No	> Backrest cushion, fixed	1
Yes or No	Seat cushion, lift-up, w/ latch, interior storage-Single CPR	1
	LIFE SUPPORT STATION	1
Yes or No	Switch pod, above counter, vinyl covered	1
Yes or No	**No Radio Cut-Outs to be provided in LSS**	1
Yes or No	Cabinet head of switch pod, hinged door, 1 shelf	1
Yes or No	< > (Reduced Hgt) Upper storage cabinet, 45 deg, lift-up restock, 1 shelf The Interior Height of this cabinet will approximately be 12 -1/4" High (pass-thru)	1
Yes or No	Laminated Counter with 1" retaining edge	1
Yes or No	< ALS Three (3) Drawer Storage Unit, Below L/S/S Counter All drawers utilize Locking Southco Polished Stainless Steel latches.	1
Yes or No	Laminated Counter, 1" Lip, Left Front, Cut Out For Sharpster	1
	LEFT REAR STORAGE CABINET	1
Yes or No	< Left rear full cabinet,upper,45deg w/lift-up restocking door Sliding cabinet doors w/lift-up restocking - 45 deg hinged door to be a White Acrylic overlapping door to act as a dry-erase, writing surface. Includes (1) adjustable shelf, installed in the restocking portion of the cabinet and (1) adjustable shelf, installed in the 45 degree portion	1
Yes or No	Left rear half cabinet, middle, 1/2" acrylic doors, 1 shelf	1
Yes or No	Laminated Counter with 1" retaining edge	1

Town of New Durham
ALS Modular Ambulance

Y or N (Circle)		QTY
Yes or No	Left rear cabinet, below counter w/hinged drop down door	1
	RIGHT REAR CABINET	1
Yes or No	< Right Rear In/out to Compartment "E"	1
	Dimensions: 8" wide 40 1/2" high - (with 72" Headroom)	
	Dimensions: 8" wide 36 1/2" high - (with 68" Headroom)	
	With Hinged Acrylic Door	
	INTERIOR CABINET DOORS	1
Yes or No	All Cabinet doors, Lexan/Acrylic, Tinted	1
Yes or No	Handles, full length, sliding doors	1
Yes or No	Positive closure devices hinged doors	1
Yes or No	Unistrut, interior cabinet shelves, "Mini"	1
	ENTRANCE DOORS	1
Yes or No	Ent. Door Panels, 3 section	1
	ABOVE DOOR HEAD BUMPERS	1
Yes or No	Side Door Head Bumper	1
Yes or No	Rear Door Head Bumper	1
	GRAB RAILS	1
Yes or No	Grab rail, 72", s/steel, over squad bench	1
Yes or No	Grab rail, 72", s/steel, over cot	1
Yes or No	< Grab rail, 18", at step area, Mounted 45degrees - (for Medic-In-Mind Cabinet)	1
	18" Grab rail mounted (at 45 degrees) on the "step area" side of the forward custom squad bench cabinet.	
Yes or No	Grab rail, 18", at rear entrance doors, (2)	1
Yes or No	< Grab rail, 12", E compt wall facing squad bench	1
	Grab rail to be bolted thru E compt. Location: Right side rearward wall, 3" inward from radius corner, top of grab handle 14" from the ceiling. Note: Clearance required for "Lift Up Restocking Feature" of cabinet over attendant seat	
Yes or No	Grab rail, 45 deg, side entrance door, (1)	1
Yes or No	Grab handle, spring loaded, rear ent door (2)	1
	SEAT BELTS	1
Yes or No	Seat belt, left side attendant, Qty (1)	1
Yes or No	Seat belts (2) For 2 Person Squad Bench	1
	COT MOUNT and COT MODEL	1
Yes or No	> No Cot Mount Included - Standard Floor Framing Only	1

Town of New Durham
ALS Modular Ambulance

Y or N (Circle)	S	DESCRIPTION	QTY
Yes or No		Cot Mount for F/W INX Power Load - In-Line Fasteners with ICS (SAE Comp)	1
		I.V. HOLDER	1
Yes or No	<	IV Holders, in ceiling raceway, ILOS	1
		(1) Head of cot	
		(1) Foot of cot	
		INTERIOR COLORS	1
Yes or No		Ceiling, white Thermoplastic	1
Yes or No		Upper Laminate - High Gloss Fashion Grey D381-01	1
Yes or No		Lower Laminate - High Gloss Fashion Grey D381-01	1
		INTERIOR UPHOLSTERY	1
Yes or No		Upholstery, Flat-Seamless	1
Yes or No		Upholstery Color: Gray	1
		ATTENDANT SEAT	1
Yes or No		Attendant seat mounted in center position	1
Yes or No	>	Gray, Attendant Seat, EVS 17703, 3 Point Harness, ABS	1
		Back, Swivel, Sewn Vinyl	
Yes or No		** Confirm Seat color** - GRAY is the vehicle upholstery color	1
		FLOORING	1
Yes or No		Londeck Ridgeline, Moondust (#804)	1
Yes or No		Flooring rolled up side walls 3"	1
		CAB CONSOLE	1
Yes or No	< >	Type I, Floor Mount, switches, siren/radio-(Includes cup holders) -Dodge	1
		(2) Cup holders are included in the lower portion of the console	
Yes or No	< >	Cut (1) Hole for Customer/Dealer suppld Radio, in Radio/Siren Console	1
		Specify Radio Model _____	
		This radio will be installed in the "Top" #1, uppermost location	
Yes or No	< >	Map Box, Type I, Behind Cab Console -(1 model available for Classics) includes (1) lexan divider	1
Yes or No	<	Console and Map Box to be mounted with flexible t-handle latches For short console (radio pod only/radio pod and traffic advisor)	1
		MISCELLANEOUS INTERIOR	1
Yes or No		Fasten Seat Belt/No Smoking Sign	1
		OXYGEN AND SUCTION	1
Yes or No		Oxygen Outlet, Amico, dual, LSS	1
Yes or No		Oxy Outlet, Amico -In wall above Squad Bench, rgt side	1

Town of New Durham
ALS Modular Ambulance

Y or N (Circle)		QTY
Yes or No	< > Recessed, Oxygen PORT, ceiling raceway, front This oxygen port will be controlled by a Constant Flow Selector valve in the O2 Outlet at the Right side, routed up through the forward section of the upper cabinet to the port in the ceiling.	1
Yes or No	Oxygen Solenoid, Amico, w/ manual override & switch	1
Yes or No	Suction pump, electric, Thomas, switch in LSS	1
Yes or No	Collection Bottle, SSCOR Disp. w/ white-regulator	1
Yes or No	Vacuum Outlet, Amico, w/diamond adapter, LSS	1
Yes or No	< > Oxygen Gauge, tank pressure, 2", (LSS Area) Note: When a "45 degree" upper cabinet is selected, the 2" gauge is located on the lower portion of the 45 degree cabinet fascia. When a "squared off" upper cabinet is selected, the 2" gauge is located in the beneath the SSCOR regulator.	1
Yes or No	< > Dual Oxygen Cylinder "Auto-Flip" System, w/Dual PL Monitor Includes: (1) V.E.R. 1633-2 Regulator (the 2nd required, is line 30-60-4000) (1) Oxygen Solenoids (the 2nd required, is line 30-20-1000) (1) switch in LSS panel (1) High Pressure switch (2) Hoses to connect cylinders, (2) High pressure tank pressure gauges mounted in interior, labeled "A" and "B" (2) Indicator lights, labeled "A" and "B" to indicate which bottle is in use. * Includes the PL Dual O2 Monitor setup	1
Yes or No	< > Oxygen Bottle Holder, DUAL Steel, "M" Cyl, Sentramatic II For Steel "M" Bottle Only The Bracket is located on the "Aft" wall, when installed in the "A", "C" or "E" compartments. PLEASE REVIEW OPERATION EXPECTATIONS WITH CUSTOMER FOR DUAL BOTTLE SYSTEMS.	1
Yes or No	Flowmeter, Ball type w/Diamond Adapter	1
Yes or No	> Flow Selector Valve, Oxy, #233, w/Diamond Adapter	1

Town of New Durham
ALS Modular Ambulance

Y or N	S	DESCRIPTION	QTY
Yes or No		Regulator, Oxygen, Large Tank, (aka, #1633-2)	1
Yes or No		Wrench, Oxygen Cylinder - (wall mounted)	1
		ELECTRICAL	1
Yes or No		Electrical System Warranty	
		Life warranty for as long as the original owner owns it.	
Yes or No		Electrical 12 VDC, Classic-Series	1
Yes or No		Electrical 12 VDC Specifications	1
Yes or No		Alternator, DUAL 220 Amp OEM Dodge	1
Yes or No		Batteries, Dual Dodge OEM, 1460CCA -(under hood)	1
Yes or No		K3 -Ignition Switched, Module Disconnect	1
Yes or No		Cab Under hood & Fender Electrical Connectors - Deutsch	1
		SWITCH PANEL	1
Yes or No		Voltmeter, Analog, 8 to 18 volt, lighted	1
Yes or No		Low Voltage Alarm & Indicator	1
Yes or No		Rocker Switches, Carling Euro Style	1
Yes or No		Battery On indicator light	1
Yes or No		Warning Indicator, Door open, Red	1
Yes or No		Warning Indicator, Compt open, Amber	1
Yes or No		Warning Indicator, Audible alarm, Door/Compt	1
Yes or No		Warning Ind/Audible, Parking Brake, Dual-Mode Alarm	1
Yes or No		Hella Gooseneck Light 7", Includes Red Filter	1
Yes or No		Install Red filter lens on Gooseneck light	1
Yes or No		Throttle, Electronic High Idle - Dodge	1
Yes or No		Back-up alarm, w/resetting cancel switch	1
Yes or No	<	Spotlight, Unity 5", wired direct to console - Unmounted-	1
		Spotlight Mount Bracket will be shipped loose so that	
		the customer can mount it in their desired location.	
		Note: Select QW Option 42-35-1030 for PL mounting of	
		the Spotlight bracket, which states a defined location.	
Yes or No	< >	Load Manager/Sequencer, PL Custom/Kussmaul (full time)	1
		RESPONSE AND SCENE AMPS CANNOT EXCEED	
		230 AMP	
		FULL TIME Load Management of Emergency Lights	
Yes or No		Pwr Lock Switch, Entrance, OEM Door switch- (if applicable)	1
Yes or No	< >	Remote Keyless Entry w/Chassis Power Door Lock	1
		OEM door switches control cab & body doors. Control	
Yes or No	< >	Pwr Door Lock Concealed Override Switch, Grille -(KKK)	1

Town of New Durham
ALS Modular Ambulance

Y or N (Circle)	DESCRIPTION	QTY
	Located in front grille area.	
	This switch location is KKK compliant	
	EMERGENCY WARNING EQUIPMENT	1
Yes or No	S< Tomar Traffic Emitter, Recessed Mounted 4 Slot	1
	Provide circuitry and install Tomar 3065R Emitter utilizing 7 x 3 recessed housing	
	Location: Front of body in the F4 Slot	
	The Tomar Emitter is to be tied into the sequencer and NOT the load manager. It will have its own switch in the front console and is to deactivate when not in a drive gear.	
	HEADLIGHT FLASHER	1
Yes or No	< Headlight flasher, Slow, Wig Wag -(Prgrammed using OEM-VSIM)	1
	PL activation of OEM feature in Vehicle System Interface Module (VSIM)	
	SIREN	1
Yes or No	> Siren, Whelen 295SLSA1, w/diag.	1
Yes or No	Siren-Horn Switch	1
Yes or No	Mount PA Microphone on right side of console under gooseneck	1
	SIREN SPEAKERS	1
Yes or No	Thru Bumper Speakers, CPI SAD/P 3807, (2) Dodge D4500	1
Yes or No	< > Howler -Low Freq Speaker System -(For Whelen 295SL Sirens)	1
Yes or No	-No rear Lightbar required-	1
	> style="text-align: center;"> CAB MOUNTED LIGHTS	1
Yes or No	> Whelen Independent CAB Flashing Lights, CLEAR Lens package	1
Yes or No	(2) Upper Whelen ION Wide Angle- LED-Grille Light -(2)Red	1
Yes or No	Upper Grille Flange (Chrome)	1
Yes or No	(2) Whelen LIN3 Super-LED, Red -Fender	1
	BODY LIGHTING -<(Full Catalog PDF here)>	1
	FRONT BODY VEHICLE LIGHTS -(Non-Emergency)	1
Yes or No	(2) 600-Whelen, Directionals -LED,Amb/Arrow, Front -(Loc:F1C&F7C)-Clear	1
Yes or No	* FRONT BODY LIGHTING -w/NO LIGHTBAR	1
Yes or No	< ** (7) Front Upper Lights & Directionals	1
	The (4) lights, outboard of the Center light position, shall operate from (1) console switch.	
Yes or No	*** Whelen Independent Front & Side Body Flashing Lights, CLEAR Lens	1
Yes or No	< > Independent - Flash - No Vehicle Flasher	1
	All lighthoods are flashed randomly using internal flashing program, without light to light synchronization.	

Town of New Durham
ALS Modular Ambulance

Y or N (Circle)	S	DESCRIPTION	QTY
Yes or No	<	Program Flashing Lights to "Action Scan"	1
		Whelen flash pattern Lighthouse will scroll through all available patterns and repeat	
	>	FRONT BODY WARNING LIGHTS	1
Yes or No		9x7, 900 Sup-LED, Red, Front - (Loc: F1)	1
Yes or No		9x7, 900 Sup-LED, Red, Front - (Loc: F2)	1
Yes or No		9x7, 900 Sup-LED, Red, Front - (Loc: F3)	1
Yes or No		9x7, 900 Sup-LED, Red, Front - (Loc: F5)	1
Yes or No		9x7, 900 Sup-LED, Red, Front - (Loc: F6)	1
Yes or No		9x7, 900 Sup-LED, Red, Front - (Loc: F7)	1
Yes or No	S	700 Series Super-LED, Red, Front (Loc: F4)	1
		Whelen Primary Side Light package (PDF>)	1
Yes or No		9x7, 900 Sup-LED, Red, Left Side - (Loc: LS1)	1
Yes or No		9x7, 900 Sup-LED, Red, Left Side - (Loc: LS4)	1
Yes or No		9x7, 900 Sup-LED, Red, Right Side - (Loc: RS1)	1
Yes or No		9x7, 900 Sup-LED, Red, Right Side - (Loc: RS4)	1
		REAR BODY WARNING (Flashing) LIGHTS	1
Yes or No		**Whelen Independent, Rear Body Flashing Lights - CLEAR Lens	1
		REAR LIGHT LAYOUT -(No Lightbar or Traffic Advisor)	1
Yes or No		(3) Rear Upper Lights & (2) Window Level Lights	1
Yes or No		9x7, 900 Sup-LED, Blue, Rear - (Loc: R1)	1
Yes or No		9x7 Sup-LED, Amber, Rear - (Loc: R4)	1
Yes or No		9x7 Sup-LED, Red, Rear - (Loc: R7)	1
		Rear Lights at Window Level	1
Yes or No		9x7 Sup-LED, Red, Rear - (Loc: R10B)	1
Yes or No		9x7 Sup-LED, Red, Rear - (Loc: R11B)	1
		SECONDARY (miscellaneous) BODY MOUNTED WARNING LIGHTS	1
Yes or No	<	Whelen 700 Series Red Super-LED, w/Flange, (2) Over Rear Wheel Color: Red	1
		FLASHING LIGHTS; OTHER	1
Yes or No	< >	Safety Lts, (6), 3 Per Door- OS Series LED, Red, Rear Ent Doors, Full time Lights are active anytime power is on and doors are open	1
Yes or No	< >	Safety Lts, (3)- OS Series LED, Red, Side Ent Door, Full time activation Lights are active anytime power is on and doors are open	1

Town of New Durham
ALS Modular Ambulance

Y or N (Circle)	DESCRIPTION	QTY
	REAR NON-EMERGENCY LIGHTS	1
Yes or No	< > Stop/Tail and Turn Signal-Light heads with clear lenses Exterior vehicle Rear Stop/Tail & Turn light heads will have Clear Lenses.	1
Yes or No	Stop/Tail, (2) M6 -Whelen Super LED -(clear Lens) w/Flange	1
Yes or No	Back-up, (2) M6 - Whelen Super LED w/Flange	1
Yes or No	Directional, (2) Whelen M6 Super LED -(clear Lens) Populated Arrow	1
	AUXILIARY NON-EMERGENCY LIGHTS	1
Yes or No	> Marker/Clearance Lts, LED Front, Rear, (2) Sides	1
Yes or No	> Lower Side Marker, Flash w/Directionals, (2) ea side	1
Yes or No	Running Board Illum Lights, (2), Heavy Duty LED 4" Recessed	1
Yes or No	< > Rear Red Flasher/Brake Light Priority -(for Rear window level lights) For use with Rear Window Level Lights	1
	FLOOD LIGHTS	1
Yes or No	(2) Whelen 9x7, 24-LED Opti -Scene Flood, Left side-(Loc:LS2, LS3)	1
Yes or No	(2) Whelen 9x7, 24-LED Opti -Scene Flood, Right side-(Loc:RS2, RS3)	1
Yes or No	(2) Whelen 9x7, 24-LED Opti -Scene Flood, Rear, (Loc; R12, R13)	1
Yes or No	Right Side Scene Lights on with Side Door & Switch in Console	1
Yes or No	Left Side Scene Lights w/On-Off Switch Console	1
Yes or No	Rear Scene Lights on w/Rear Door Open/Reverse	1
Yes or No	< Rear Scene Lights, On-Off Switch in Console Rear floods switch shall also activate reverse lights.	1
Yes or No	Right Side Scene Light Cancel Switch	1
Yes or No	Rear Door Scene Light Cancel Switch	1
Yes or No	Left/Right & Rear Flood Lights, On In Reverse	1
Yes or No	< Whelen 9x7, 24-LED Flood, Custom Location Move the Right side, forward scene light to the Right Front Body, next to the Whelen Super LED Warning light, above the "D" Compartment door.	1
	CLIMATE CONTROL	1
Yes or No	Ventilation, Flow-Thru, (2) Speed, Cast Products Rear	1
Yes or No	Cowl	1
Yes or No	< > Auxiliary Air Conditioning Condenser, 12V, Front body -(MED/CLSC) Mounted on For use with 12V, Heat A/C unit.	1
Yes or No	** Front Body Condenser to be Painted to Match Body Color	1
Yes or No	Ducted Heater/Air Cond, Digital Thermostat -Dodge	1

Town of New Durham
ALS Modular Ambulance

Y or N (Circle)	DESCRIPTION	QTY
Yes or No	Auxiliary Coolant Pump Climate Control System	1
	CEILING CONFIGURATION	1
Yes or No	< Ceiling Configuration for (10) Dome Lights & 2 Speakers	1
	Order of lights on the ceiling (front to rear): Dome Light, Speaker, Dome Light, Dome Light, IV Holder, Dome Light, Dome Light	
	INTERIOR LIGHTS	1
Yes or No	(10) Dome Lights, Whelen (Six Diode)-LED, Hi-Lo	1
Yes or No	Dome Lights Switched to LOW Mode w/Door Open	1
	COMPARTMENT LIGHTS	1
Yes or No	< Lights In Exterior Compartments, 4" Recessed (Compartment Ceiling Lights)	1
Yes or No	Whelen LED Strip-Lite, Right Front In-Out Compt	1
	AUXILIARY INTERIOR LIGHTING	1
Yes or No	Whelen LED Strip-Lite, High Intensity - (LSS Area)	1
Yes or No	Stepwell Light, LED, Located at Side Entrance Door	1
Yes or No	< Dome Lts "Check-Out" Timer, Side Door	1
	60 minute windup timer at side door, active with shoreline only Note: "High" setting for LED lights only. Non-LED lights will be set to "Low"	
Yes or No	Dome Light Switch, (1) Left, (1) Right	1
	MEDICAL OUTLETS	1
Yes or No	12 volt Medical Outlet, Power Point, Loc: LSS	1
Yes or No	12 volt Medical Outlet, Power Point, Loc: Right Front In/out	1
Yes or No	< 12 volt Medical Outlet, Power Point, Loc: Left Rear	1
	Outlet mounted 14" above the rear counter For any other locations, please use an SOPR	
Yes or No	< > 12 volt Medical Outlet, Power Point, Interior Wall or Cabinet Location: Qty 3 , Location:	3
	(1) On the wall above the forward Medic In Mind Cabinet (1) On the wall, above the rearward Medic In Mind Cabinet, as high as possible. (1) In the cab, Lower Console	
Yes or No	< Outlet, Kussmaul 5VDC Dual USB, installed in Cab Switch Panel For USB charging, Hot with body power or shoreline	1
Yes or No	** SPECIAL OPTION REQUEST **	1
Yes or No	< Outlet, Kussmaul 5VDC, Dual USB, Mounted in a single gang lighted switch plate	1

Town of New Durham
ALS Modular Ambulance

Y or N (Circle)	DESCRIPTION	QTY
	ANTENNA/COMMUNICATION RADIO	1
Yes or No	< (3) Antenna Leads w/ Base and Cap Installed - Body Roof - (See PDF) Unless otherwise specified, lead will route to: (1) Front console (1) LSS (1) Behind Driver's Seat Factory will drill a hole, mount base and cap at antenna location(s) specified above. Antenna bases are installed with nominal height adjustment. Persons installing antenna whip may be required to perform final adjustment.	1
Yes or No	< End Connectors, Mini UHF, installed on antenna leads Qty: 3 Location: All antenna leads	3
Yes or No	< > Antenna, VHF, 1/4 wave 152-162 MHZ Provide and install antenna on base. Qty: 2, Location: Right Front & Right Rear Antenna Bases	2
Yes or No	< > Radio Power Lead, rear L/S/S Includes: (1) Red 10 gauge marked radio 12 volt Hot, 30 amp, (1) Black 10 gauge marked radio ground, (1) Orange 12 gauge marked 12 volt switched, 20 amp.	1
Yes or No	< > Radio Power Lead 30 Amp, 10 ga. Cab Console Includes: (1) 12 volt Hot wire with 30 amp circuit protection, (1) 12 volt switched wire with 20 amp circuit protection.	1
Yes or No	< > Radio Power Leads 30 Amp, 10 gauge Includes: (1) 12 volt Hot wire with 30 Amp protection, (1) 12 volt switched wire with 30 Amp circuit protection. Qty: 1, Location: (1) In the Body, Right Side Upper 45 degree cabinet	1
Yes or No	< > Radio Power Lead w/40 Amp Fuse, 8 ga. Behind driver seat Includes: (1) 12 volt Hot wire w/fuse holder & 40 amp fuse, (1) 12 volt switched wire w/fuse holder and 40 amp fuse.	1
	MISCELLANEOUS 12 VOLT ELECTRICAL	1
Yes or No	> Speakers, Stereo Volume Control Rear Sw Panel	1
Yes or No	Clock, 12 volt 24 hour, Analog mounted on 45 degree cabinet	1
Yes or No	Liquid Spring Control Left Rear Door Open w/ Override switch	1
Yes or No	< > 12 Volt Hot power lead, Utility, behind drivers seat 20 amp Max capacity	1

Town of New Durham
ALS Modular Ambulance

Y or N (Circle)	DESCRIPTION	QTY
Yes or No	< > 12 Volt Hot power lead, Utility, behind passenger seat 20 amp	1
Yes or No	< 12 Volt Hot power lead, Utility, front console 20 amp	1
Yes or No	< 12 Volt Hot power lead, Utility, electrical cabinet 20 amp	1
Yes or No	** SPECIAL OPTION REQUEST **	1
Yes or No	< Back-Up 3 -Camera System w/7" Flat Panel LCD Monitor w/Audio Monitor to mount on 4" Pedestal on cab console Audivox System	1
	Rear Body camera over Rear doors Interior camera to be located on the front head bumper Curbside Color Camera located under the forward	
Yes or No	Whelen 900 series warning light. Activation of this camera to be Right directional light switch	
	ELECTRICAL 115 VOLT AC	1
Yes or No	Shoreline, Super Auto-Eject 20 amp, Yellow, Left Side, Above Compt. "B"	1
Yes or No	< Shoreline/ Battery Charging Dual Indicator Lights Shoreline - Amber Indicator Battery Charger - Green Indicator	1
Yes or No	Power Distr Box, 115v, w/20 amp Circuit Bkr	1
Yes or No	< > Engine Block Heater to Shoreline (If so equipped) Note: Includes block heater switch in Electrical cabinet. The heater should only be switched on during (cold weather) as per chassis owner manual guidelines.	1
Yes or No	On-off Switch 115v, For Control of Block Htr	1
Yes or No	Hospital Grade Lighted GFCI Outlet, Location: L/S/S	1
Yes or No	< Hospital Grade Lighted Outlet, Location: Left Rear Outlet mounted 14" above the rear counter For any other locations, please use an SOPR	1
Yes or No	Hospital Grade Lighted Outlet, Location: Right Front In/out	1
Yes or No	S < Hospital Grade Lighted Outlet, Interior Wall or Cabinet Location: Qty 3 , Location: (1) On the wall above the forward Medic In Mind Cabinet (1) On the wall above the rearward Medic In Mind Cabinet (1) in the Cab, behind the passenger seat	3

Town of New Durham
ALS Modular Ambulance

Y or N (Circle)_	S	DESCRIPTION	QTY
		BATTERY CHARGER / INVERTER CHARGER	1
Yes or No		Battery Charger, IOTA DLS-30, 30 amp	1
	>	INVERTER	1
Yes or No		> Inverter, Vanner 20-1000TUL-DC , w/Shore Transfer	1
		PAINT LUSTRE	1
Yes or No		Ten Year Paint Warranty (Paint Lustre)	1
Yes or No		Paint Adhesion Testing	1
		BODY AND CAB PRIMARY PAINT	1
Yes or No		*Body and Cab Same Single Color	1
Yes or No		**Modular Body Paint Color Other Than Unit Standard White	1
Yes or No	< >	Paint Rear Body Primary Color Only (for Chevron Application) Note: With "Chevron" striping selected, the rear of the vehicle will be painted, the solid single, primary color. -(for Chevron application)-	1
Yes or No		Modular Body Paint Color Red	1
Yes or No	< >	*OEM Standard Chassis Color -order other than white NOT ALL PAINT COLORS AVAILABLE FROM CHASSIS MANUFACTURER. - Check current OEM paint color chart. CHECK WITH PL FACTORY ON AVAILABILITY. (Price to be adjusted when the factory verifies the Chassis can be ordered in	1
Yes or No	<	***Indicate here: Chassis OEM (non-white) color INPUT: OEM Chassis Color: Flame Red (Dodge) INPUT: OEM Chassis Color Code: _____	1
Yes or No		Cab Paint Color Same as Body	1
Yes or No		** Front Body Condenser to be Painted to Match Body Color	1
		ADDITIONAL VEHICLE PAINT, SECONDARY	1
Yes or No		No Additional Paint Required	1
		PAINT COLOR CODES FOR PRIMARY/SECONDARY PAINT	1
Yes or No		*****Choose modular body paint code number*****	1
	>	LETTERING	1
Yes or No		Imitation Gold Leaf Lettering Dealer allowance for lettering. Estimated price, requires layout from customer for final	1
		REFLECTIVE VINYL BELTLINE STRIPING	1
Yes or No		6" Vinyl Beltline Stripe	1

Town of New Durham
ALS Modular Ambulance

Y or N (circle)	DESCRIPTION	QTY
Yes or No	Vinyl Main Stripe Color, Black -(reflective)	1
Yes or No	Vinyl Beltline Stripe to Kick Up on Body	1
Yes or No	Vinyl Beltline Stripe Location @Cab Window Level price	1
	REFLECTIVE VINYL STRIPING MISC.	1
Yes or No	< > Reflective Tape Stripe 3/4" Location: Above and below the 6" Black Reflective stripe with 3/4" Reveal Color: Yellow	2
Yes or No	< > Reflective (Color) Tape Stripe 3/4" Outline, on interior of Entrance Doors Reflective 3/4" Outline COLOR: RED	1
	REFLECTIVE CHEVRONS	1
Yes or No	< > Reflective 6" Chevron Rear body +Upper Center Panel + doors (2 colors) Colors:1) RED 2) YELLOW	1
Yes or No	< > Star of Life Decal 18" Qty: 2, Location: Left & Right Rear Body Sides	2
Yes or No	Frosted, Star of Life, (2) 12" Rear Windows	1
Yes or No	< Layout drawings - Color, Qty (2) This option is for (2) color layout revisions. Additional revisions will result in additional costs	1
	TECHNICAL RADIO INSTALLATION	1
Yes or No	< Technical Radio Installation- Provided by Dealer Radio installation to be provided by dealer, at the dealers facility. Unless stated otherwise all radios, accessories and related wiring will be supplied by the end user	1
Yes or No	< RADIO ALLOWANCE The customer shall provide a 120 watt radio for installation in the cab, behind the drivers seat. The customer shall provide a self contained radio for installation in the Right side upper 45 degree cabinet. The installation of the Pre-Programmed radio's shall be provided by the Dealer. The allowance is for the Dealer to pay for the radios.	1

Town of New Durham
ALS Modular Ambulance

Y or N (circle)	S	DESCRIPTION	QTY
		CHASSIS EQUIPMENT	1
Yes or No		Stainless Steel Wheel Inserts, Dodge 4500/5500	1
Yes or No		Liquid Spring Suspension System (D4500)	1
Yes or No		No -Rear Mud Flap included	1
Yes or No		< > Cab Floor Mats, Vinyl , All Weather, Dodge D4500	1
		The mat color will blend with the interior color	
Yes or No		Front End-Caster Camber Align	1
Yes or No		** SPECIAL OPTION REQUEST **	1
Yes or No		Grill Guard Full Width Go Industires Dodge-Black	1
Yes or No		< Aftermarket Plymovent Installation, By private contractor	1
		The exhausts a dual pipe and will require a Custom Installation by authorized personnel.	
		EQUIPMENT	1
Yes or No		< Fire Extinguisher, ABC, 5lb	1
		Qty (1) Shipped loose.	
Yes or No		< > NCE H7000 Swivel Bracket for Life Pak 12/15	1
		Ship Loose:\par	
		Installation includes Spacer to clear counter edge	
Yes or No		< > Bottle Brackets, Zico-Quick-Release, Strapless (2), (D Bottle)	1
		Model QR-D-2 Located in the recessed stepwell area Qty (2)	
Yes or No		Cot Mount for F/W INX Power Load - In-Line Fasteners with ICS (SAE Comp)	
		1 0000INXINLINE INX INLINE COT SHIP KIT	
		1 ILFM95STNEWMNT INLINE 95 W/LONG FLOOR	
		1 LAIV3SCL INX/MONDIAL MB 3 STAGE IV POLE	
		1 0822453 INX TELESCOPING FRAME STO-NET	
		1 FWESX SX, SURFACE EXTENDER PAIR	
		1 0822451 KIT, BACKREST PANEL MNT HOOK	
		1 0731371 59-T EZGLDPWRTRX,RED,IV&LH120V	
		CHASSIS	1
Yes or No		< > 2017 DODGE D4500, 4x4, 108" CA	1
		DODGE D4500, 4x4, 108" CA DP9L65	
		Wheelbase 192.5" - 108" CA Dual Rear	
		G.V.W. 16,500 lbs.	
		7,000 lb. Front Axle (Mono Beam)	
		12,000 lb. Rear Axle	
		Cummins 6.7L I-6 OHV direct diesel injection 24	
		valve intercooled turbo diesel engine. (ETK)	

Town of New Durham
ALS Modular Ambulance

Y or N (circle)	DESCRIPTION	QTY
	Engine Block Heater	
	Engine Oil Cooler	
	Heavy Duty 6 Speed Automatic Aisin AS68RC (DF2)	
	Automatic Transmission with overdrive	
	Transmission Oil Cooler	
	Diesel Exhaust Brake NEN	
	Stainless Steel Exhaust	
	Rear axle 4.44 with Limited Slip differential	
	Auto locking hubs	
	Electronic Shift on the Fly Transfer Case (DK3)	
	Transfer Case Skid Shield (XEF)	
	Fuel Capacity: 52 gallon single tank (aft axle)	
	Ambulance Prep Group (AH2)	
	DUAL 220 Amp Alternators (total 440) (XF7)	
	1460 amp (total) dual batteries	
	Voltage monitoring Auto Idle up System	
	Cold Weather Group	
	Engine block heater	
	Winter Front Grille Cover	
	Safety	
	Dual air Bags, passenger side front-impact cancellable	
	air bag.	
	Front height adjustable seatbelts with front	
	pre-tensioners	
	4 wheel Antilock braking system	
	Steering & Suspension:	
	Hydraulic power-assist re-circulating ball steering Power	
	Brakes- Four Wheel Disc	
	Non-independent front suspension	
	Front leading link suspension	
	Front anti-roll bar	
	Front coil springs	
	HD front shocks	
	Rigid Rear Axle	
	Rear leaf suspension	
	HD Rear anti-roll bar	
	HD rear leaf springs	

Town of New Durham
ALS Modular Ambulance

Y or N (circle)	DESCRIPTION	QTY
	HD Rear Shocks	
	Front and Rear Wheels 19.5 x 6.00" (steel)	
	Tires:	
	225/70R19.5 BSW (6 allseason)	
	Continental Brand	
	Full Size Spare Tire & wheel TBB	
	Comfort and Convenience	
	Air Conditioning	
	Cruise Control with steering wheel controls	
	pressure gauge, engine temperature gauge, voltmeter	
	gauge, oil temperature gauge, transmission fluid	
	temperature gauge, engine hour meter, compass,	
	exterior temperature, trip computer, trip odometer	
	Warning Indicators include: engine temperature, low oil	
	level, low coolant, lights on, low fuel, low washer fluid,	
	door ajar, transmission fluid temp.	
	Intermittent front windshield wipers	
	29G SLT Cab Trim	
	Bright Front Bumper with front tow hooks	
	Chrome Grille	
	Cloth 40/20/40 Bench Seat (V9)	
	Front Seat Area Carpet	
	Full cloth headliner	
	Color Keyed Instrument Panel Bezel	
	Leather wrapped steering wheel	
	Overhead console	
	Power Black Manual Fold trailer Tow Mirrors	
	Power Locks	
	Premium Vinyl Door trim w/map pocket	
	Power windows	
	Remote Keyless entry	
	Temperature & Compass Gauge	
	Traveler/Mini trip Computer	
	RA2 Radio AM/FM/BT 5.0 inch touch screen display	
	Luxury Group (ADA)	
	Overhead Console w/ Garage Door opener	
	Sun visors w/ illuminated vanity mirrors	

Town of New Durham
ALS Modular Ambulance

Y or N (circle)	DESCRIPTION	QTY
	Universal Garage Door Opener	
	Electroluminescent Instrument Cluster	
	Glove Box Lamp	
	Under hood lamp	
	Rear Dome w/on/off switch	
	Steering Wheel mounted audio controls	
	Leather Wrapped Steering Wheel	
	Rear view auto dim mirror	
	Low Beam Daytime Running Headlamps (LMI)	
	Halogen Quad/ Automatic Headlamps	
	Chrome Tubular Side Steps (Running Boards) (MRT)	
	Color Scheme:	
	Exterior Color: Flame Red	
	Interior Color: Dark Slate/Medium Graystone (X8)	
Yes or No	>>>Chassis special ordered to match body color, SOPR chassis required<<<	1
Yes or No	Fuel "Full Tank" -Dodge	1
Yes or No	Upgrade to Aluminum Wheels	1
Yes or No	Upgrade to power Seat, Driver	1
Yes or No	Grille Guard, Full width	1
Yes or No	Delivery Requirements	1
	Certificate of Origin	
	Temporary Registration Plate	
	This includes a Pre-delivery Inspection at the Manufacturing Facility in for two member of the New Durham Fire Dept.	